

**EU TYPE-EXAMINATION CERTIFICATE**No **CE 1131210210 -00 - 00**

According to "Regulation (EU) 2016/425 of the European Parliament and of the Council" of 9<sup>th</sup> March 2016 on Personal Protective Equipment and repealing Council Directive 89/686/EEC

**Centro Tessile Cotoniero e Abbigliamento S.p.A.**  
**P.zza Sant'Anna, 2 - 21052 Busto Arsizio (VA) - Italia**

**EEC Notified Body N° 0624**

- in view of the firm's application submitted on: 12<sup>th</sup> February 2020;
- in view of the positive results of the Technical File verification submitted by the manufacturer together with the above mentioned request;
- in view of the manufacturer's declaration stated in the Technical File attached to the above mentioned request
- having verified that technical specification of design and manufacture is in compliance with basic requirements specified in annex II of Regulation (EU) 2016/425 and that technical manufacturing documentation is in compliance with above mentioned specifications;
- in view of the positive test results carried out on the basic model representative of production according to paragraph 4 of annex V of Regulation (EU) 2016/425;

Issues to:

**3S-Arbeitsschutz GmbH**  
**Ikarusstr. 24, D-40474 Düsseldorf, Germany**

the EU Type-Examination Certificate concerning the following PPE model:

**Chemical Protective Clothing****ProChem II F**Category: **III** (third)

The model of Personal Protective Equipment is subject to conformity to type assessment according to Section 19 c) of Regulation (EU) 2016/425 (Module C2 or D)

**Basic type description****ProChem II F**

Coverall with elasticated wrists, ankles and waist, thumb loops. Rubber band on the hood. Entrance on the back, closed by zip covered by double flaps fixed with automatic buttons and hook loop tape.

Stitched and heat taped seams..

Fabric: Tychem F<sup>®</sup>, 125 g/m<sup>2</sup>, orange color.

**Variations description**

Available in grey color.

Possibility to make the suit with:

Socks

Boot Flap

Socks and grounding tape

Double sleeves

Integrated protective gloves:

- KCL Camatril 730;
- KCL Camapren 720;
- KCL Dermatril P 743;
- KCL Butojet 897+;
- KCL Butojet 898;
- Ansell AlphaTec 02-100;
- Ansell AlphaTec 58-270;
- Respirex Kemblok

**Sizes**

S - XXXL



## Standards

<b>EN ISO 13688:2013</b>	Protective clothing - general requirements
<b>EN 14605:2005 +A1:2009</b>	Protective clothing against liquid chemicals - Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])
<b>EN ISO 13982-1:2004 +A1:2010</b>	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates
<b>EN 13034:2005 +A1:2009</b>	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals
<b>EN 1073-2:2002</b>	Protective clothing against radioactive contamination - Requirement and test methods for non-ventilated protective clothing against particulate radioactive contamination
<b>EN 14126:2003 +AC:2004</b>	Protective clothing - Performance requirements and tests methods for protective clothing against infective agents
<b>EN 1149-5:2018</b>	Protective clothing – Electrostatic properties – Part 5 ; Material performance and design requirements
<b>EN 14325:2004</b>	Protective clothing against chemicals - Test methods and performance classification of chemical protective clothing materials, seams, joins and assemblages

## Performance levels

EN 14605	<b>Type 3B</b>	protective performance with liquid-tight connections and against infective agents
	<b>Type 4B</b>	protective performance with liquid-tight connections and against infective agents
EN ISO 13982-1	<b>Type 5B</b>	protection against airborne solid particulates and infective agents
EN 13034	<b>Type 6B</b>	limited protective performance against light spray, liquid aerosol or low pressure, low volume splashes and infective agents
EN 1073-2	<b>Class 2</b>	Total Inward Leakage
EN 14126	<b>Class 6</b>	Resistance to penetration by contaminated liquids under hydrostatic pressure.
	<b>Class 6</b>	Resistance to penetration by infective agents due to mechanical contact with substances containing contaminated liquids.
	<b>Class 3</b>	Resistance to penetration by contaminated liquid aerosols.



## Class 3

Resistance to penetration by  
contaminated solid particles

## Tests

The test results are included in the report:

19RA08726, 19RA12732, 19RA13551, 19RA13553, 20RA00719,  
20RA00748, 20RA00784, 20RA00814, 20RA00846; 20RA00843,  
20RA00851

## Marking

The following information are listed on the label inside the garment:

- CE marking
- Company name
- Article code
- Standards
- Standardized pictograms
- Maintenance symbols
- Fabric composition
- PPE category

## Validity

- This certificate has 5-year validity from issue date. On expiration date the Manufacturer will be responsible to require the renewal.
- Any change on model and materials object of this Certificate shall be notified and then approved by Centrocot.

This certificate must be filed by the manufacturer and must be shown, if requested, to the Body that performs controls or to the surveillance authority

Busto Arsizio,

Issue date:  
22<sup>nd</sup> March 2021Expiry date:  
22<sup>nd</sup> March 2026General Manager  
Dr. Grazia Cerini